

Best Available Copy

SEARCHED			
Class	Sub.	Date	Exmr.
600	1	9-14-01	38
	2		
	3		
	4		
	5		
	6		
	7		
600	8		
600	427		
	429		
600	439	9-14-01	38
606	130	6-25-02	38
up to date		12-18-02	38
up to date		7-17-03	38
up to date		1-20-04	38
up to date		8-24-04	38
600	424	8-24-04	38

INTERFERENCE SEARCHED			
Class	Sub.	Date	Exmr.
As Above		8-25-01	38

SEARCH NOTES (INCLUDING SEARCH STRATEGY)		
WEST	Date	Exmr.
brachytherapy i	9-14-01	38
real time i		
needle		
brachytherapy i		
body fixed i		
space fixed		
& needle i		
coordinate		
space fixed i body		
fixed i		
coordinate i		
needle	9-14-01	38
See search	6-24-02	38
history	6-25-02	38
up to date	12-18-02	38
	7-17-03	38
	1-21-04	38
	8-28-04	38

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.